



# DIGITAL SIGNAGE DISPLAY CATALOGUE

# **STARVIEW SV SERIES**

---

Website: [www.starviewint.com](http://www.starviewint.com) | Email: [sales@starviewint.com](mailto:sales@starviewint.com) | Tell: +65 31575338




## STARVIEW DIGITAL SIGNAGE DISPLAY SV SERIES

*Starview Digital Signage Display SV Series offers you an array of professional grade features in a compact form factor so that you can easily meet various customer needs. These smaller displays are ideal for delivering customized content to individual customers for a more up-close and personalized experience with the ability to fit into the smallest of spaces and capture viewer attention at eye level.*

*Catch pedestrian attention with this large format to increase customer engagement and enhanced experience. As an interactive advertising and display solution, allowing you to showcase different images, videos and slideshows. This commercial multimedia device provides an alternative to traditional signage, making it the ideal display solution tool in public venues, tradeshow, and business institutes*


STARVIEW<sup>International</sup>

Website: [www.starviewint.com](http://www.starviewint.com) | Email: [sales@starviewint.com](mailto:sales@starviewint.com) | Tell: +65 31575338



**Fast Response**

With a fast 6ms response time, blur, ghosting and distortion will be eliminated, giving way to a perfect dynamic picture.



**Wide Viewing Angle**

Expanded vision with 178 degrees viewing angle, no deformed pictures and no color distortion, perfect viewing



**Operating System**

Easy upgradable options available: Android and network.



**High Quality Audio**

Our units are equipped with high quality digital audio outputs



**High Defintion Displays**

Only professional/ commercial grade A+ are used for our products. High brightness and contrast ratios are the key in delivering great visible advertising.



**Intelligent temperature control system**

Our intelligent temperature control system will regulate and protect the equipment. Keeping the unit performance at peak level



**Material**

Our full metal shielding structure will prevent any exterior electromagnetic interference

Website: [www.starviewint.com](http://www.starviewint.com) | Email: [sales@starviewint.com](mailto:sales@starviewint.com) | Tell: +65 31575338

**STARVIEW DIGITAL SIGNAGE DISPLAY SV SERIES SPECIFICATIONS**

Model		SV-WM10B-CS	SV-WM19B-CS	SV-WM32B-CS	SV-K43BS-CS	SV-K49B-CS
Panel	Screen Size (Diagonal)	10.1"	18.5"	32"	43"	49"
	Type	LCD	LCD	LCD	BOE LCD	BOE LCD
	Resolution	1280 x 800 (16 : 10)	1920 x 1080 (16 : 9)	1920 x 1080 (16 : 9)	1920 x 1080 (16 : 9)	1920 x 1080 (16 : 9)
	Display Colors	8 bit, 16.7M colors				
	Refresh Rate	60 Hz				
	Brightness	500 cd/m <sup>2</sup>	500 cd/m <sup>2</sup>	500 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>	400 cd/m <sup>2</sup>
	Contrast Ratio	3000:1	3000:1	3000:1	1000:1	5000:1
	Lifetime	> 60,000 hrs				
	Viewing Angle	178°H/ 178°V				
	Response Time	6ms				
	Backlight	WLED				
	Runtime	24/7				
Interfaces		2 x USB; 1 x HDMI out; 1 x RJ45; 1 x TF Card Slot;			1 x HDMI out; 2 x USB; 1 x RJ45; 1 x Micro/ Audio	1 x HDMI out; 2 x USB; 1 x RJ45;
Speaker		No	No	No	No	2 x 5W
Wifi		Wifi 802.11 b/g/n, 2.4G Hz				
System		Android 7.1 OS, 2GB DDR3 RAM, 16G EMMC, with mobile app and PC cloud control software			Android 6.0 OS, RK3288 2GB RAM, 16G EMMC	Android 6.0 OS, 2GB RAM, 16G EMMC
Color System Support		PAL/ NTSC/ SECAM				
Splicing Display		Support				
Video Format Support		MPEG1/ MPEG2/ MPEG4/ DivX/ ASP/ WMV/ AVI				
Image Format Support		JPEG/ BMP/ TIFF/ PNG/ GIF				
Audio Format Support		WAV/ MP3/ WMA/ AAC				

Website: [www.starviewint.com](http://www.starviewint.com) | Email: [sales@starviewint.com](mailto:sales@starviewint.com) | Tell: +65 31575338

STARVIEW DIGITAL SIGNAGE DISPLAY SV SERIES SPECIFICATIONS

Model	SV-WM10B-CS	SV-WM19B-CS	SV-WM32B-CS	SV-K43BS-CS	SV-K49B-CS
Operating Temperature	0°C ~ 50°C				
Storage Temperature	0°C ~ 50°C				
Operating Humidity	10% ~ 85%				
Storage Humidity	5% ~ 95%				
Dimension (W x H x D)	261 x 179 x 47 mm	458 x 278 x 47 mm	787.4 x 482 x 76.7 mm	1785 x 593 x 400 mm	1855 x 667.5 x 450 mm



Corporate offices

STARVIEW INTERNATIONAL PTE LTD  
Singapore Headquarters  
60 Kaki Bukit Place  
#05-19 Eunos Techpark  
Singapore 415979

Tel: +65 3157 5338  
Fax: +65 3112 8181

Worldwide offices

Vietnam  
Hanoi Office  
R10, 33th Floor, C2 Building, D'Capitale,  
119 Tran Duy Hung Street,  
Trung Hoa – Cau Giay, Hanoi  
Ho Chi Minh Office  
#C9-16, Block A, Sky Center Building,  
#10 Pho Quang Street - Tan Binh District,  
Ho Chi Minh City

Tel: (024) 66661268  
Hotline: 19008695  
Sale Contact: 0866.207.855

Representatives

Brazil  
Tel: +55 11 9-8244-7630

Germany  
Tel: +49 172 946 69 39

France - Benelux - Africa  
Tel: +33 782 702 214

Southern, Eastern Europe  
& Middle East Operations  
Tel: +420 602 66 75 66

