



STARVIEW SMART SWITCH AND SOCKET SSL-AU-MG SERIES

BEING BOTH SAFE AND SMART

Copyright © 2023 Starview Technologies Private Limited. All rights reserved.



Singapore Headquarters: 60 Kaki Bukit Place, #05-19 Eunos Techpark, Singapore 415979

Website: www.starviewtech.asia or www.starviewtech.net | Email: sales@starviewint.com | Tell: +65 31575338

Starview Smart Switch And Socket

BEING BOTH SAFE AND SMART

Starview smart switch and socket must be safe. You can put our Starview brand inside your walls without worrying about your stuff getting hot and possibly starting a fire. We are committed to making every user insist on trusting our brand.




SPEAK TO REMOTE CONTROL THE DEVICES

The Starview Smart Switch and Socket is compatible with Amazon Alexa, Google Assistant... Use the voice command to turn the light on/off. Save on the effort of opening buttons, especially when your hands are full

"Alexa, switch on the reading light"

Okay


Devices



APP REMOTE CONTROL GIVES YOU MORE CONVENIENT


Download the free app from the Apple Store or Google Play Store, run it and pair it with your phone, and you can control the switch at home from anywhere





TIMING FUNCTION

Allows you to set the light to turn on and off at a specific time, or you can set a time switch to turn off the lights in the room when your child falls asleep, better planning life



LUXURY GLASS PANEL

High Quality Temmpered Glass
Simple and Elegant, High-grade Fashion
Easy to Clean and Never Fade



SAFETY, DAMP PROOF

Waterproof Glass Panel,
Can be Touched by Wet Finger,
Works Even in Humid Conditions




FAMILY SHARING

You can share your device with your family. Each person can control the switch of each light individually. It is easy to use and allows family members to experience the joy of smart life

Starview SSL-AU-MG-ZG01W/B

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control




STARVIEW SSL-AU-MG-ZG01W/B SPECIFICATION

Connection	Zigbee
Channel	1 channel
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-ZG02W/B

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control




STARVIEW SSL-AU-MG-ZG02W/B SPECIFICATION

Connection	Zigbee
Channel	2 channel
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-ZG03W/B

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control




STARVIEW SSL-AU-MG-ZG01W/B SPECIFICATION

Connection	Zigbee
Channel	3 channel
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-ZG04W/B


- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



STARVIEW SSL-AU-MG-ZG01W/B SPECIFICATION	
Connection	Zigbee
Channel	4 channel
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-ZGC01W/B

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



STARVIEW SSL-AU-MG-ZGC01W/B SPECIFICATION

Connection	Zigbee
Channel	Curtain switch
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-ZGD01W/B

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



STARVIEW SSL-AU-MG-ZGD01W/B SPECIFICATION

Connection	Zigbee
Channel	Dimmer switch
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-ZGD01W/B

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



 App control
  Quick installation
  Voice Control
  Zigbee


 works with the Google Assistant
  WORKS WITH amazon alexa
  SSL STARVIEW SMARTLIFE





STARVIEW SSL-AU-MG-ZGD01W/B SPECIFICATION




Connection	Zigbee
Channel	4 channel scene switch
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Rating	625W/Channel
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-BRZG01

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



 App control
  Quick installation
  Voice Control
  Zigbee


 works with the Google Assistant
  WORKS WITH amazon alexa
  SSL STARVIEW SMARTLIFE

STARVIEW SSL-AU-MG-BRZG01 SPECIFICATION

Connection	Zigbee
Channel	Double socket Thailand standard
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-AUZG01

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control






STARVIEW SSL-AU-MG-AUZG01 SPECIFICATION




Connection	Zigbee
Channel	Double socket Australia standard
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-AUZGC01

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



 App control
  Quick installation
  Voice Control
  Zigbee





 works with the Google Assistant
  WORKS WITH amazon alexa
  STARVIEW SMARTLIFE




STARVIEW SSL-AU-MG-AUZGC01 SPECIFICATION	
Connection	Zigbee
Channel	Wall Socket & USB charger
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
USB Charger	USB2.0/ 5V 2.1A
Material	ABS + PC fireproof material, tempered glass
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	120 x 72 x 43mm

Starview SSL-AU-MG-UKZGWW

- Zigbee automatic networking technology, no manual code matching, simple system debugging
- App Control: Control switches from anywhere with your smartphone
- Voice Control: Works perfectly with Amazon Alexa, Google Home
- Timing: Set scheduled/ countdown timers to turn on/ off at specified time
- Share Control: Control your smart home together with your family
- Smart Scene: Trigger on/ off by temperature, humidity or other environmental conditions
- High quality crystal tempered glass panel design, never fade.
- With red and blue LED indicator, very distinguished
- Support both Single L wire control or L and N wire control



 App control
  Quick installation
  Voice Control
  Zigbee

 works with the Google Assistant
  WORKS WITH amazon alexa
  STARVIEW SMARTLIFE

STARVIEW SSL-AU-MG-UKZGWW SPECIFICATION

Connection	Zigbee
Channel	Double Socket UK standard
Input Voltage	100-240V 50/60HZ
Maximum Current	10A
Material	ABS + PC fireproof material, tempered glass
Power Consumption	≤0.5W
Working Temperature	-20°C ~ 50°C
Working Humidity	0% ~ 85% (non-condensing)
Dimension	86 x 86 x 39mm



Corporate offices

STARVIEW TECHNOLOGIES PTE LTD Singapore Headquarters

60 Kaki Bukit Place
#05-19 Eunos Techpark
Singapore 415979

Tel: +65 3157 5338
Fax: +65 3112 8181

Worldwide offices

Vietnam

Hanoi Office
R10, 33th Floor, C2 Building, D'Capitale,
119 Tran Duy Hung Street,
Trung Hoa - Cau Giay, Hanoi

Ho Chi Minh Office
#C9-16, Block A, Sky Center Building,
#10 Pho Quang Street,
Tan Binh District, Ho Chi Minh City

Danang Office
Add: Suite 607, Floor 6th Altara Suites
by Ri-yaz 120 Vo Nguyen Giap, Phuoc My,
Son Tra, Danang

Tel: (024) 66661268
Hotline: 19008695
Sale Contact: 0866.207.855

Australia

Melbourne Office
140 Williams Street,
Melbourne VIC 3000

Representatives

Brazil

Tel: +55 11 9-8244-7630

Germany

Tel: +49 172 946 69 39

France - Benelux - Africa

Tel: +33 782 702 214

Southern, Eastern Europe & Middle East Operations

Tel: +420 602 66 75 66

