

STWB SERIES

TOUCH SCREEN INTERACTIVE

DESCRIPTION

Touch Screen Interactive Whiteboard With OPS All In One PC adopts advanced multi touch interactive technology which integrated interactive whiteboard, TV, audio, computer, Internet, multimedia playback and other functions.

Available in sizes 49", 55", 65", 75", 86" and 98". UHD resolution guarantee eye-pleasing image quality for ergonomic viewing and versatile digital connectivity optimized to the needs of corporate and signage applications.

It is widely used in modern education teaching, interactive business commerce presentations, meetings, medicine, army etc...



KEY FEATURES

- LCD technology with LED backlight, 3840 x 2160 resolution, 350 nits
- Optional OPS i5 6th generation, 3.2G Hz, 4G RAM, 128G SSD, with DP output, 4K Display, Windows 10 OS, Android 6.0, 2G RAM, 16G EMMC.
- 10 points infrared simultaneously touch (optional)
- Designed for 24/7 operation
- Use a finger or any object to operate the whiteboard
- Large interactive area
- Default wallmount bracket



INSTALLED FOR MANY DISPLAY APPLICATIONS



Training



Childhood education



Educations



Business Meeting

All in one interactive whiteboard can be used in a variety of settings, including classrooms at all levels of education, in corporate board rooms and work groups, in training rooms for professional sports coaching, in broadcasting studios and others.

Technical specifications

STWB SERIES

LCD panel	Size		Available in sizes 49", 55", 65", 75", 86" and 98"
	Resolution		UHD 3840 x 2160 (16:9)
	Display Colors		10 bit, 1.07 billion colors
	Refresh Rate		60Hz
	Brightness		350 nits (cd/m ²)
	Contrast Ratio		5000:1
	LED Lifespan		50,000 hours
	Viewing Angle		60Hz
	Response Time		8ms
	Backlight		Direct-lit LED
	Runtime		24/7
	OPS Slot		Yes
System	CPU		6th generation Intel Core™ i5-6500 processor, 3.2Ghz integrated graphic card
	Chipset		Intel® H110
	Storage		ROM 16 GB, RAM 2 GB
	External Interface	Input Output	2x VGA, 2x Audio 1x VGA
Touch (Optional)	OS		Win 10/ Android 6.0 (option)
	Touch Screen Type		IR
	Multi Touch		10 points
	Writing Style		Responds to finger, gloved hand or pointer
	Minimum Touch Object		5mm
	Touch Accuracy		+/-2mm (over 90% area)
	Response Time		≤ 15ms

For technical or sales support, please visit:
www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2025 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 Williams Street, Melbourne VIC 3000, Australia

Signal	Input	1x AV; 1x VGA, 1x HDMI; 1x DP; 1x DVI-D; 1x USB
	Control	1x RS232 IN; 1x RS232 OUT
Speaker		10W + 10W
Structure	Material	Quality SPCC & Aluminium frame
	Frame Color	Silver gray
Power Supply		100 ~ 240V AC, 50/60Hz

For technical or sales support, please visit:

www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2025 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 Williams Street, Melbourne VIC 3000, Australia