STARVIEW ASIA
TECH FOR A BETTER WORLD

MOUNT ACCESSORIES SERIES

TV · SPEAKER · CAMERA · VIDEO WALL MOUNTS



DESCRIPTION

Starview's Mount Accessories Series is a complete range of professional AV mounting solutions – covering TV wall mounts, floor stands, ceiling mounts, speaker brackets, camera / STB shelves and video wall systems.


Engineered for displays and speakers from compact 14" panels to 120" large-format screens, each mount delivers secure load capacity, VESA-standard compatibility and clean, reliable installation for home, office and commercial spaces.

FEATURES

Complete AV Mounting Range


From fixed and full-motion TV mounts to mobile trolleys, ceiling drops and speaker stands, the range is built with heavy-gauge steel and precise VESA patterns for safe, adjustable, long-lasting mounting.

- TV Wall, Floor, Ceiling & Video Wall Mounts
- Speaker Wall, Tripod & Ceiling Brackets
- VESA-Standard, up to 200 kg Load Capacity
- Tilt / Swivel / Full-Motion Adjustment




STARVIEW ASIA
TECH FOR A BETTER WORLD

TV WALL MOUNT Full-motion & fixed wall mounts




SVA-TVWM-M1

- VESA 400x400mm
- Fits 26"-55"
- Load Capacity 35kg
- Distance to wall 70mm-450mm
- Tilt -15°~+15°
- Swivel +90°~-90°



SVA-TVWM-M2

- VESA 200x200mm
- Fits 22"-43"
- Load Capacity 35kg
- Distance to wall 59mm-450mm
- Tilt -5°~+15°
- Swivel +90°~-90°



SVA-TVWM-M3

- VESA 400x400mm
- Fits 26"-55"
- Load Capacity 50kg
- Distance to wall 47mm-460mm
- Tilt 0°~+15°
- Swivel +90°~-90°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV WALL MOUNT Full-motion & fixed wall mounts






SVA-TVWM-M4

- VESA 400x400mm
- Fits 26"-55"
- Load Capacity 35kg
- Distance to wall 70-450mm
- Tilt 0°~+15°
- Swivel +90°~-90°






SVA-TVWM-M5

- VESA 400x400mm
- Fits 32"-65"
- Load Capacity 50kg
- Distance to wall 47mm-460mm
- Tilt 0°~+15°
- Swivel +65°~-65°





SVA-TVWM-M6

- VESA 600x400mm
- Fits 45"-75"
- Load Capacity 45kg
- Distance to wall 47mm-460mm
- Tilt -3°~+5°
- Swivel +65°~-65°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV WALL MOUNT Full-motion & fixed wall mounts






SVA-TVWM-M7

- VESA 600x400mm
- Fits 32"-75"
- Load Capacity 50kg
- Distance to wall 47mm-460mm
- Tilt 0°~+15°
- Swivel +65°~-65°






SVA-TVWM-M8

- VESA 600x400mm
- Fits 32"-70"
- Load Capacity 45kg
- Distance to wall 100-500mm
- Tilt -15°~+15°
- Swivel +65°~-65°





SVA-TVWM-M9

- VESA 600x400mm
- Fits 42"-70"
- Load Capacity 45kg
- Distance to wall 65-460mm
- Tilt -5°~+15°
- Swivel +65°~-65°


For technical or sales support, please visit:
www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV WALL MOUNT Full-motion & fixed wall mounts



SVA-TVWM-M10

- VESA 800x600mm
- Fits 50"-100"
- Load Capacity 100kg
- Distance to wall 70mm-800mm
- Tilt -3°~+15°
- Swivel +65°~-65°



SVA-TVWM-M11

- VESA 900x600mm
- Fits 50"-120"
- Load Capacity 100kg
- Distance to wall 70mm-800mm
- Tilt -3°~+15°
- Swivel +65°~-65°


For technical or sales support, please visit:
www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia


Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV WALL MOUNT Full-motion & fixed wall mounts



SVA-TVWM-M12

- VESA 800x600mm
- Fits 50"-100"
- Load Capacity 100kg
- Distance to wall 30mm-350mm
- Tilt ±5°
- Swivel +65°~-65°



SVA-TVWM-M13

- VESA 900x600mm
- Fits 50"-120"
- Load Capacity 200kg
- Distance to wall 50mm-800mm
- Tilt -3°~+15°
- Swivel +65°~-65°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV FLOOR STAND Trolley & mobile floor stands






SVA-TVWM-M14

- VESA 600x400mm
- Fits 32"-65"
- Load Capacity 65kg
- Tilt 15°up or down
- Swivel 360°





SVA-TVWM-M15

- VESA 600x400mm
- Fits 32"-75"
- Load Capacity 120kg
- Swivel 360°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV FLOOR STAND Trolley & mobile floor stands






SVA-TVWM-M16

- VESA 800x500mm
- Fits 55"-85"
- Load Capacity 120kg
- Swivel 360°





SVA-TVWM-M17

- VESA 900x600mm
- Fits 60"-100"
- Load Capacity 200kg
- TV Height Adjust 25cm
- Tray Size 962x99mm
- Swivel 360°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV CEILING MOUNT Drop-down ceiling mounts






SVA-TV-CEILL-M1

- VESA 200x200mm
- Fits 14"-32"
- Load Capacity 25kg
- Distance to wall 25mm





SVA-TV-CEILL-M2

- VESA 400x400mm
- Fits 32"-58"
- Load Capacity 25kg
- Height 50-100cm

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

TV CEILING MOUNT Drop-down ceiling mounts






SVA-TV-CEILL-M3

- VESA 680x480mm
- Fits 42"-75"
- Load Capacity 35kg
- Distance to wall 25mm





SVA-TV-CEILL-M4

- VESA 680x480mm
- Fits 42"-75"
- Load Capacity 35kg
- Distance to wall 25mm


For technical or sales support, please visit:
www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia


Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

SPEAKER WALL MOUNT Tilt & swivel speaker brackets



SVA-SPEAK-WM-M1

- Suitable Speaker 10"/12"/15"
- Load Capacity 40kg
- Height Adjust 35-45cm
- Tilt -15°
- Swivel 180°



SVA-SPEAK-WM-M2

- Suitable Speaker 10"/12"/15"
- Load Capacity 40kg
- Height Adjust 25-35cm
- Tilt -15°
- Swivel 180°


For technical or sales support, please visit:
www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

SPEAKER WALL MOUNT Tilt & swivel speaker brackets



SVA-SPEAK-WM-M3

- Suitable Speaker 10"/12"
- Load Capacity 25kg
- Height Adjust 27-34cm
- Tilt ±15°



SVA-SPEAK-WM-M4

- Suitable Speaker 10"/12"/15"
- Load Capacity 25kg
- Length Adjust 19-35cm
- Tilt ±15°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

SPEAKER TRIPOD Height-adjustable speaker stands






SVA-SPEAK-TRIP-M1

- Load Capacity 20kg
- Height Adjust 1m-1.8m





SVA-SPEAK-TRIP-M2

- Load Capacity 40kg
- Height Adjust 1m-1.8m

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

SPEAKER CEILING MOUNT Ceiling speaker brackets






SVA-SPEAK-CEILL-M1

- Suitable Speaker 8"/10"
- Load Capacity 20kg
- Length 180cm
- Tilt 180°
- Swivel 360°





SVA-SPEAK-CEILL-M2

- Suitable Speaker 8"/10"/12"
- Load Capacity 30kg
- Length 180cm
- Tilt 180°
- Swivel 360°

For technical or sales support, please visit:
www.starviewint.asia


Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

CAMERA / STB WALL MOUNT Shelf brackets for STB, DVD & cameras






SVA-CAMVW-M1

- Load Capacity 5kg
- Size 240*240mm





SVA-CAMVW-M2

- Load Capacity 10kg
- Size 340*240mm

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia

VIDEO WALL MOUNT Pop-out & fixed video wall mounts



SVA-VW-MOUT-M50

- VESA 600x400 / 400x600mm
- TV Size 37"-70"
- Load Capacity 50kg
- Distance to wall 115-310mm
- Orientation Portrait & Landscape



SVA-VW-MOUT-M30

- VESA 100x100-600x600mm
- Fits 32"-65"
- Load Capacity 30kg / screen
- Mounting Rail 680mm length
- Orientation Single Landscape

For technical or sales support, please visit:
www.starviewint.asia

Performance specifications are typical. Due to constant research, specifications are subject to change without notice. For the most up-to-date specifications, please contact an authorized Starview representative.

For assistance with confirming the Jurisdiction & Classification of Starview Asia products, please contact info@starviewint.asia

Copyright © 2026 STARVIEW ASIA. All rights reserved.
Australia Headquarters: Level 40, 140 William Street, Melbourne VIC 3000, Australia